# **Expanding Machine Capabilities**



Part Number 2010

Worldwide headquarters:
1295 Lund Boulevard, Anoka, Minnesota 55303 USA
Tel 763,421,0230 Fax 763,421,0285 mate.com



## Mate ULTRA® IMT™ Fully Indexable Multi Tools


### The Ideal Multi Tool. Delivered.™

#### What is a fully indexable multi tool?

A multi tool allows a standard indexing D-Station in a punch press to accept 8 or 3 "mini" stations. By using just one multi tool, your 20 station punch press becomes a 22 or 27 station press, expanding your capacity much more economically than purchasing an additional machine.

Mate's patent pending *ULTRA® IMT™* is a fully indexable multi tool that adds flexibility and expands the ability of a standard multi tool because, unlike standard multi tools, which can only have one angle setting, fully indexable multi tools can **achieve any angle setting** on the workpiece.

20 station press becomes a 22 or 27 station press with just one multi tool!



Mate offers two versions of ULTRA IMT fully indexable multi tool:

- 3-Station uses *ULTRA TEC*® 1-1/4" B-Station punches and strippers, and thick turret B-Station dies. It can punch up to 6mm material with maximum tonnage of 16 tons (142kN).
- 8-Station uses *ULTRA TEC*® ½" A-Station punches and strippers, and thick turret A-Station dies. It can punch up to 6mm material with maximum tonnage of 7 tons (62kN).

### **Customer Driven Design.**

Mate conducted extensive customer research before embarking on the design of *ULTRA IMT*, providing them with the opportunity to define their version of the ideal multi tool:

Customers Requested	Mate Delivered
Easy to use and maintain	With <i>ULTRA IMT</i> , no tools are required for punch, striker and stripper retention/removal, making assembly and disassembly simple.
Ability to use standard punches, dies and strippers to minimize and simplify tooling inventory	ULTRA IMT uses Mate ULTRA TEC punches and strippers, and thick turret dies, eliminating the need for specialized inventory.
Increased tool life with adjustable length punches	With <i>ULTRA IMT</i> 's design, punches screw on to a punch head allowing easy length adjustment.
Variable stripping force options for heavy-duty and light duty applications.	With <i>ULTRA IMT</i> you can adjust the downward force to reduce sheet marking in thin material or aluminum.*
Easy active station identification.	ULTRA IMT has a clearly viewable "Zero Mark" and station ID window to quickly see the active station to help reduce potential error.
Improved ergonomics.	ULTRA IMT's design makes it easy to wrap your hands around the holder. Plus, you can also use a T-Handle to assist in lifting the holder.
Easy turret installation	ULTRA IMT features a better external slot lead-in from the stripper retention plate, making installation a breeze.

<sup>\*</sup> Do not exceed recommended tonnage. Consult product instructions for details.



# **Easy Maintenance. No Tools Required!**



**ULTRA IMT** is designed to minimize your effort and maximize your uptime because you don't need tools to remove the striker plate, change punches, or for routine maintenance. Simply twist the striker plate to align the release dimples and remove. How easy is that!



Tools are not needed to install or remove punches either. You might say it's as easy as 1-2-3!

- 1. Rotate the skid plate to the clearance position.
- 2. Align the punch driver and punch keys.
- 3. Slide the punch into the pocket.



Quickly adjust the length of your punches by using the built-in length guide. Place the tip of the punch against the flange and rotate the punch driver to the guide body edge



Page 3

# MATE ULTRA® IMT™ Features:

Lubrication Port to all moving parts

Striker Assembly fits only one way for ease of use

Release/Zero Mark Position Indicator

Punch Carrier

One piece Guide design for tighter tolerences allowing burr-free punching of thinner materials

Punch Holder Body made with hardened tool steel

No tools needed for punch and stripper installation or removal




PATENT PENDING 8-Station model shown

Replaceable stripper plate costs less than replacing whole guide



# MATE ULTRA® IMT™ Features:







ULTRA® IMT™ 8-Station Indexable Multi Tool




ULTRA® IMT™ 3-Station Indexable Multi Tool

Removable Stripper Plate

Custom dedicated stripper plate option to reduce sheet marking (urethane pads also available)

No tools needed for stripper removal

Venting to prevent slug pulling



## Performance and uptime are key. These design features deliver:

- One-piece guide design with fewer fits and tighter tolerances for high precision punching, tighter die clearances, and rigidity for nibbling.
- Sheet metal marking protection: Urethane pads available, unused punches are retained in the up and down direction, and a custom dedicated stripper plate.
- Lubrication grooves on punches and O.D. of guide. Fully ported for lubrication to moving parts.
- Strategically placed vent ports to prevent slug pulling.
- Hardened punch holder body for extended product life.
- Compatibility with high speed punches.



# **Order Guide**

## **ULTRA® IMT™ 3-Station**


Upper MATE01850 Uses ULTRA TEC® B-Station punches,

Lower MATE00697 strippers, and thick turret dies.


## **ULTRA® IMT™ 8-Station**

Upper MATE01840 Uses *ULTRA TEC*® A-Station punches, strippers, and thick turret dies.


NOTE: see Mate literature LIT00569 for ordering information on ULTRA TEC punches, strippers, and thick turret dies.




ULTRA® IMT™ 3-Station Upper



ULTRA® IMT™ 3-Station Lower



ULTRA® IMT™ 8-Station Upper



ULTRA® IMT™ 8-Station Lower







mate.com



The Mate logo is a registered trademark of Mate Precision Tooling Inc. in the USA, Canada, China, Germany, India, Sweden, and U.K. ULTRA is a registered trademark of Mate Precision Tooling Inc. IMT is a trademark of Mate Precision Tooling Inc. All trademarked names mentioned in this document are the property of their respective owners.

### **Mate Tooling Lasts Longer**

1295 Lund Boulevard, Anoka, Minnesota 55303 USA Call 763.421.0230 • Fax 763.421.0285 • mate.com