


# 2012

PDF Version, Rev. D



*Build the Future Together*



## terminal blocks

*Catalogue*

## Introduction

Elinker Electric is a high quality manufacturer of PCB and DIN Rail terminal blocks. We focus on four key areas to insure high quality terminal blocks and total customer satisfaction using the latest technology. These key areas include **Customer Satisfaction**, **Design Engineering**, **Quality**, and **On-Time Delivery**.



**Customer Satisfaction** is carried out throughout Elinker. Customer interface with our friendly and knowledgeable Customer Service Representative where all the information needed for order entry, processing, shipping, pricing, and order expediting are immediately available electronically.



**Design Engineering** is able to create new designs to solve our OEM customer's requirements. Using the Solid Works modeling technology enables our engineers to design the optimum terminal blocks.



**Quality** is designed, built in and verified on terminal blocks. This provides our customers consistently the highest quality product. Parts are measured to verify all dimensions prior to manufacturing the finished product.



**On-Time Delivery** is a focus for everyone at Elinker which has resulted in an on-time delivery greater than 98% on time.

PLUGGABLE TERMINAL BLOCKS

LC1-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LC1-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LC1-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LC1-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LC1-7.5 Series



Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LC1-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LC1M-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LC1M-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LC1M-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LC1M-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LC1M-7.5 Series



Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LC1M-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

PLUGGABLE TERMINAL BLOCKS

LC2A-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LC2A-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LC2B-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LC2B-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LC2A-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LC2A-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LC2AM-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LC2AM-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LC2BM-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LC2BM-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LC2AM-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LC2AM-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

PLUGGABLE TERMINAL BLOCKS

LC2B-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LC2B-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LC2A-7.5 Series



Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LC2A-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LC2B-7.5 Series



Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LC2B-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LC2BM-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LC2BM-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LC2AM-7.5 Series



Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LC2AM-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LC2BM-7.5 Series



Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LC2BM-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

PLUGGABLE TERMINAL BLOCKS

LC3-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LC3M-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LC3-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LC3-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LC3-7.5 Series



Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	20A
Max Voltage	400V
Approvals	UL, CE

LC3-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	20A
Max Voltage	400V
Approvals	UL, CE

LC3M-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LC3M-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LC3M-7.5 Series



Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	20A
Max Voltage	400V
Approvals	UL, CE

LC3M-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	20A
Max Voltage	400V
Approvals	UL, CE

LC4-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LC4-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE



PLUGGABLE TERMINAL BLOCKS

LC4M-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LC4M-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LC5-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LC5-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LC5M-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LC5M-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LC6-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LC6-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LC6-5.0 Series




Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	15A
Max Voltage	400V
Approvals	UL, CE

LC6-5.08Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	15A
Max Voltage	400V
Approvals	UL, CE

LC6-7.5 Series



Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	15A
Max Voltage	630V
Approvals	UL, CE

LC6-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	15A
Max Voltage	630V
Approvals	UL, CE

PLUGGABLE TERMINAL BLOCKS

LC6M-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LC6M-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LC6M-5.0 Series




Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	15A
Max Voltage	400V
Approvals	UL, CE

LC6M-5.08 Series




Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	15A
Max Voltage	400V
Approvals	UL, CE

LC6M-7.5 Series



Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	15A
Max Voltage	630V
Approvals	UL, CE

LC6M-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	15A
Max Voltage	630V
Approvals	UL, CE

LC6-2.5 Series



Center Spacing	2.5mm(.098")
Poles	2-24
Max Current	4A
Max Voltage	160V
Approvals	UL, CE

LC6MJ-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	15A
Max Voltage	630V
Approvals	UL, CE

LC6MJ-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	15A
Max Voltage	630V
Approvals	UL, CE

LC6H-5.0 Series




Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	15A
Max Voltage	630V
Approvals	UL, CE

LC6H-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	15A
Max Voltage	630V
Approvals	UL, CE

LC6HM-5.0 Series




Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	15A
Max Voltage	630V
Approvals	UL, CE



PLUGGABLE TERMINAL BLOCKS

LC6HM-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	15A
Max Voltage	630V
Approvals	UL, CE

LC7A-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	15A
Max Voltage	320V
Approvals	UL, CE

LC7A-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	15A
Max Voltage	320V
Approvals	UL, CE

LC7AM-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	15A
Max Voltage	320V
Approvals	UL, CE

LC7AM-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	15A
Max Voltage	320V
Approvals	UL, CE

LC7B-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	15A
Max Voltage	320V
Approvals	UL, CE

LC7B-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	15A
Max Voltage	320V
Approvals	UL, CE

LC7BM-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	15A
Max Voltage	320V
Approvals	UL, CE

LC7BM-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	15A
Max Voltage	320V
Approvals	UL, CE

LC8-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LC8-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LC8M-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

PLUGGABLE TERMINAL BLOCKS

LC8M-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LC8MJ-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LC8MJ-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LC9-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	12A
Max Voltage	320V
Approvals	UL, CE

LC9M-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	12A
Max Voltage	320V
Approvals	UL, CE

LC10-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LC10M-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LC10-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LC10M-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LC10MG-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LC10-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	20A
Max Voltage	630V
Approvals	UL, CE

LC10M-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	20A
Max Voltage	630V
Approvals	UL, CE

PLUGGABLE TERMINAL BLOCKS

LC10MG-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	20A
Max Voltage	630V
Approvals	UL, CE

LC11-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	15A
Max Voltage	630V
Approvals	UL, CE

LC11-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	15A
Max Voltage	630V
Approvals	UL, CE

LC11M-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	15A
Max Voltage	630V
Approvals	UL, CE

LC11M-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	15A
Max Voltage	630V
Approvals	UL, CE

LC12V-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LC12V-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LC12V-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	15A
Max Voltage	320V
Approvals	UL, CE

LC12VM-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	15A
Max Voltage	320V
Approvals	UL, CE

LC12R-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LC12R-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LC12R-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	15A
Max Voltage	320V
Approvals	UL, CE

PLUGGABLE TERMINAL BLOCKS

LC12RM-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	15A
Max Voltage	320V
Approvals	UL, CE

LC12V-7.5 Series




Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	20A
Max Voltage	400V
Approvals	UL, CE

LC12V-7.62 Series




Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	20A
Max Voltage	400V
Approvals	UL, CE

LC12VM-7.5 Series



Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	20A
Max Voltage	400V
Approvals	UL, CE

LC12VM -7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	20A
Max Voltage	400V
Approvals	UL, CE

LC12R-7.5 Series



Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	20A
Max Voltage	320V
Approvals	UL, CE

LC12R -7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	20A
Max Voltage	320V
Approvals	UL, CE

LC12RM-7.5 Series



Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	20A
Max Voltage	320V
Approvals	UL, CE

LC12RM -7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	20A
Max Voltage	320V
Approvals	UL, CE

LC13-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-12
Max Current	20A
Max Voltage	320V
Approvals	UL, CE

LC13M-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-12
Max Current	20A
Max Voltage	320V
Approvals	UL, CE

LC14-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	20A
Max Voltage	320V
Approvals	UL, CE

PLUGGABLE TERMINAL BLOCKS

LC14-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	20A
Max Voltage	320V
Approvals	UL, CE

LC14-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	20A
Max Voltage	320V
Approvals	UL, CE

LC15-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	20A
Max Voltage	320V
Approvals	UL, CE

LC15-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	20A
Max Voltage	320V
Approvals	UL, CE

LC16-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	20A
Max Voltage	320V
Approvals	UL, CE

LC16-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	20A
Max Voltage	320V
Approvals	UL, CE

LC17U-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	12A
Max Voltage	320V
Approvals	UL, CE

LC17UM-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	12A
Max Voltage	320V
Approvals	UL, CE

LC18-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	12A
Max Voltage	320V
Approvals	UL, CE

LC17-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	20A
Max Voltage	320V
Approvals	UL, CE

LC18-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	20A
Max Voltage	320V
Approvals	UL, CE

LC18M-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	20A
Max Voltage	320V
Approvals	UL, CE



PLUGGABLE TERMINAL BLOCKS

LC19U-5.08 Series



<b>Center Spacing</b>	5.08mm(.20")
<b>Poles</b>	2-24
<b>Max Current</b>	20A
<b>Max Voltage</b>	320V
<b>Approvals</b>	UL, CE

LC19UM-5.08 Series




<b>Center Spacing</b>	5.08mm(.20")
<b>Poles</b>	2-24
<b>Max Current</b>	20A
<b>Max Voltage</b>	320V
<b>Approvals</b>	UL, CE

LC19Y-5.08 Series



<b>Center Spacing</b>	5.08mm(.20")
<b>Poles</b>	2-24
<b>Max Current</b>	20A
<b>Max Voltage</b>	320V
<b>Approvals</b>	UL, CE

UKK2.5/PCB-5.08



<b>Center Spacing</b>	5.08mm(.20")
<b>Poles</b>	
<b>Max Current</b>	17.5A
<b>Max Voltage</b>	320V
<b>Approvals</b>	UL, CE

LC20



<b>Center Spacing</b>	
<b>Poles</b>	
<b>Max Current</b>	
<b>Max Voltage</b>	
<b>Approvals</b>	

LZ20



<b>Center Spacing</b>	
<b>Poles</b>	
<b>Max Current</b>	
<b>Max Voltage</b>	
<b>Approvals</b>	

PLUG HEADER TERMINAL BLOCKS

LZ1R-2.5 Series




Center Spacing	2.5mm(.098")
Poles	2-24
Max Current	4A
Max Voltage	160V
Approvals	UL, CE

LZ1V-2.5 Series




Center Spacing	2.5mm(.098")
Poles	2-24
Max Current	4A
Max Voltage	160V
Approvals	UL, CE

LZ1R-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ1R-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ1V-3.5 Series




Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ1V-3.81 Series




Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ1RM-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ1RM-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ1VM-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ1VM-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ1R-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LZ1R-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

PLUG HEADER TERMINAL BLOCKS

LZ1V-5.0 Series



<b>Center Spacing</b>	5.0mm(.197")
<b>Poles</b>	2-24
<b>Max Current</b>	17.5A
<b>Max Voltage</b>	320V
<b>Approvals</b>	UL, CE

LZ1V-5.08 Series



<b>Center Spacing</b>	5.08mm(.20")
<b>Poles</b>	2-24
<b>Max Current</b>	17.5A
<b>Max Voltage</b>	320V
<b>Approvals</b>	UL, CE

LZ1RK-5.0 Series




<b>Center Spacing</b>	5.0mm(.197")
<b>Poles</b>	2-24
<b>Max Current</b>	17.5A
<b>Max Voltage</b>	320V
<b>Approvals</b>	UL, CE

LZ1RK-5.08 Series



<b>Center Spacing</b>	5.08mm(.20")
<b>Poles</b>	2-24
<b>Max Current</b>	17.5A
<b>Max Voltage</b>	320V
<b>Approvals</b>	UL, CE

LZ1VK-5.0 Series




<b>Center Spacing</b>	5.0mm(.197")
<b>Poles</b>	2-24
<b>Max Current</b>	17.5A
<b>Max Voltage</b>	320V
<b>Approvals</b>	UL, CE

LZ1VK-5.08 Series




<b>Center Spacing</b>	5.08mm(.20")
<b>Poles</b>	2-24
<b>Max Current</b>	17.5A
<b>Max Voltage</b>	320V
<b>Approvals</b>	UL, CE

LZ1RM-5.0 Series




<b>Center Spacing</b>	5.0mm(.197")
<b>Poles</b>	2-24
<b>Max Current</b>	17.5A
<b>Max Voltage</b>	320V
<b>Approvals</b>	UL, CE

LZ1RM-5.08 Series




<b>Center Spacing</b>	5.08mm(.20")
<b>Poles</b>	2-24
<b>Max Current</b>	17.5A
<b>Max Voltage</b>	320V
<b>Approvals</b>	UL, CE

LZ1VM-5.0 Series



<b>Center Spacing</b>	5.0mm(.197")
<b>Poles</b>	2-24
<b>Max Current</b>	17.5A
<b>Max Voltage</b>	320V
<b>Approvals</b>	UL, CE

LZ1VM-5.08 Series



<b>Center Spacing</b>	5.08mm(.20")
<b>Poles</b>	2-24
<b>Max Current</b>	17.5A
<b>Max Voltage</b>	320V
<b>Approvals</b>	UL, CE

LZ1R-7.5 Series



<b>Center Spacing</b>	7.5mm(.295")
<b>Poles</b>	2-24
<b>Max Current</b>	17.5A
<b>Max Voltage</b>	630V
<b>Approvals</b>	UL, CE

LZ1R-7.62 Series



<b>Center Spacing</b>	7.62mm(.30")
<b>Poles</b>	2-24
<b>Max Current</b>	17.5A
<b>Max Voltage</b>	630V
<b>Approvals</b>	UL, CE

PLUG HEADER TERMINAL BLOCKS

LZ1V-7.5 Series



Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	17.5A
Max Voltage	630V
Approvals	UL, CE

LZ1V-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	17.5A
Max Voltage	630V
Approvals	UL, CE

LZ1RK-7.5 Series



Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	17.5A
Max Voltage	630V
Approvals	UL, CE

LZ1RK-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	17.5A
Max Voltage	630V
Approvals	UL, CE

LZ1VK-7.5 Series



Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	17.5A
Max Voltage	630V
Approvals	UL, CE

LZ1VK-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	17.5A
Max Voltage	630V
Approvals	UL, CE

LZ1RM-7.5 Series




Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	17.5A
Max Voltage	630V
Approvals	UL, CE

LZ1RM-7.62 Series




Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	17.5A
Max Voltage	630V
Approvals	UL, CE

LZ1VM-7.5 Series



Center Spacing	7.5mm(.295")
Poles	2-24
Max Current	17.5A
Max Voltage	630V
Approvals	UL, CE

LZ1VM-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	17.5A
Max Voltage	630V
Approvals	UL, CE

LZ2D-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ2D-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

PLUG HEADER TERMINAL BLOCKS

LZ2DM-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ2DM-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ2D-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LZ2D-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LZ2DK-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LZ2DK-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LZ3RH-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ3RH-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ3VH-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ3VH-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ3RHM-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ3RHM-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE



PLUG HEADER TERMINAL BLOCKS

LZ3VHM-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ3VHM-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ3RT-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ3RT-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ3VT-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ3VT-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ3RH-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LZ3RH-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LZ3VH-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LZ3VH-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	400V
Approvals	UL, CE

LZ3RT-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LZ3RT-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

PLUG HEADER TERMINAL BLOCKS

LZ3VT-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LZ3VT-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LZ3RTK-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LZ3RTK-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LZ3VTK-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LZ3VTK-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LZ3RTM-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LZ3RTM-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LZ3VTM-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LZ3VTM-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LZ4-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ4K-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	8A
Max Voltage	320V
Approvals	UL, CE

PLUG HEADER TERMINAL BLOCKS

LZ5M-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	8A
Max Voltage	300V
Approvals	UL, CE

LZ5M-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LZ5X-3.81 Series



Center Spacing	3.81mm(.15")
Poles	
Max Current	
Max Voltage	
Approvals	UL, CE

LZ5X-5.08 Series



Center Spacing	5.08mm(.20")
Poles	
Max Current	
Max Voltage	
Approvals	UL, CE

LZ5X-7.62 Series



Center Spacing	7.62mm(.30")
Poles	
Max Current	
Max Voltage	
Approvals	UL, CE

LZ6-3.81 Series



Center Spacing	3.81mm(.15")
Poles	
Max Current	
Max Voltage	
Approvals	UL, CE

LZ6-5.08 Series



Center Spacing	5.08mm(.20")
Poles	
Max Current	
Max Voltage	
Approvals	UL, CE

LZ6D-3.81 Series



Center Spacing	3.81mm(.15")
Poles	
Max Current	
Max Voltage	
Approvals	UL, CE

LZ6D-5.08 Series



Center Spacing	5.08mm(.20")
Poles	
Max Current	
Max Voltage	
Approvals	UL, CE

SOLDER TERMINAL BLOCKS

LG103-5.0 Series



<b>Center Spacing</b>	5.0mm(.197")
<b>Poles</b>	2-24
<b>Max Current</b>	17.5A
<b>Max Voltage</b>	320V
<b>Approvals</b>	UL, CE

LG103-5.08 Series



<b>Center Spacing</b>	5.08mm(.20")
<b>Poles</b>	2-24
<b>Max Current</b>	17.5A
<b>Max Voltage</b>	320V
<b>Approvals</b>	UL, CE

LC105R-5.0 Series



<b>Center Spacing</b>	5.0mm(.197")
<b>Poles</b>	2-24
<b>Max Current</b>	24A
<b>Max Voltage</b>	320V
<b>Approvals</b>	UL, CE

LC105R-7.5 Series



<b>Center Spacing</b>	7.5mm(.295")
<b>Poles</b>	2-24
<b>Max Current</b>	24A
<b>Max Voltage</b>	320V
<b>Approvals</b>	UL, CE

LC105R-10.0 Series



<b>Center Spacing</b>	10.0mm(.394")
<b>Poles</b>	2-24
<b>Max Current</b>	24A
<b>Max Voltage</b>	320V
<b>Approvals</b>	UL, CE

LC105V-5.0 Series



<b>Center Spacing</b>	5.0mm(.197")
<b>Poles</b>	2-24
<b>Max Current</b>	24A
<b>Max Voltage</b>	320V
<b>Approvals</b>	UL, CE

LC105V-7.5 Series



<b>Center Spacing</b>	7.5mm(.295")
<b>Poles</b>	2-24
<b>Max Current</b>	24A
<b>Max Voltage</b>	320V
<b>Approvals</b>	UL, CE

LC105V-10.0 Series



<b>Center Spacing</b>	10.0mm(.394")
<b>Poles</b>	2-24
<b>Max Current</b>	24A
<b>Max Voltage</b>	320V
<b>Approvals</b>	UL, CE

LG126D-5.0 Series



<b>Center Spacing</b>	5.0mm(.197")
<b>Poles</b>	2-24
<b>Max Current</b>	17.5A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

LG126D-5.08 Series



<b>Center Spacing</b>	5.08mm(.20")
<b>Poles</b>	2-24
<b>Max Current</b>	17.5A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

LG126R-5.0 Series



<b>Center Spacing</b>	5.0mm(.197")
<b>Poles</b>	2-24
<b>Max Current</b>	17.5A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

LG126R-5.08 Series



<b>Center Spacing</b>	5.08mm(.20")
<b>Poles</b>	2-24
<b>Max Current</b>	17.5A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

SOLDER TERMINAL BLOCKS

LG126V-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	300V
Approvals	UL, CE

LG126V-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	300V
Approvals	UL, CE

LG127V-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	13.5A
Max Voltage	400V
Approvals	UL, CE

LG127V-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	13.5A
Max Voltage	400V
Approvals	UL, CE

LG127AH-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	13.5A
Max Voltage	400V
Approvals	UL, CE

LG127AH-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	13.5A
Max Voltage	400V
Approvals	UL, CE

LG127BH-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	13.5A
Max Voltage	400V
Approvals	UL, CE

LG127BH-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	13.5A
Max Voltage	400V
Approvals	UL, CE

LG127AHH-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	10A
Max Voltage	320V
Approvals	UL, CE

LG127AHH-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	10A
Max Voltage	320V
Approvals	UL, CE

LG127D-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	13.5A
Max Voltage	320V
Approvals	UL, CE

LG127D-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	13.5A
Max Voltage	320V
Approvals	UL, CE



**SOLDER TERMINAL BLOCKS**

**LG128-5.0 Series**



<b>Center Spacing</b>	5.0mm(.197")
<b>Poles</b>	2-24
<b>Max Current</b>	17.5A
<b>Max Voltage</b>	400V
<b>Approvals</b>	UL, CE

**LG128-5.08 Series**



<b>Center Spacing</b>	5.08mm(.20")
<b>Poles</b>	2-24
<b>Max Current</b>	17.5A
<b>Max Voltage</b>	400V
<b>Approvals</b>	UL, CE

**LG128-7.5 Series**



<b>Center Spacing</b>	7.5mm(.295")
<b>Poles</b>	2-24
<b>Max Current</b>	17.5A
<b>Max Voltage</b>	630V
<b>Approvals</b>	UL, CE

**LG128-7.62 Series**



<b>Center Spacing</b>	7.62mm(.30")
<b>Poles</b>	2-24
<b>Max Current</b>	17.5A
<b>Max Voltage</b>	630V
<b>Approvals</b>	UL, CE

**LG129-5.0 Series**



<b>Center Spacing</b>	5.0mm(.197")
<b>Poles</b>	2-24
<b>Max Current</b>	16A
<b>Max Voltage</b>	400V
<b>Approvals</b>	UL, CE

**LG129-5.08 Series**



<b>Center Spacing</b>	5.08mm(.20")
<b>Poles</b>	2-24
<b>Max Current</b>	16A
<b>Max Voltage</b>	400V
<b>Approvals</b>	UL, CE

**LG129-7.5 Series**



<b>Center Spacing</b>	7.5mm(.295")
<b>Poles</b>	2-12
<b>Max Current</b>	24A
<b>Max Voltage</b>	630V
<b>Approvals</b>	UL, CE

**LG129-7.62 Series**



<b>Center Spacing</b>	7.62mm(.30")
<b>Poles</b>	2-12
<b>Max Current</b>	24A
<b>Max Voltage</b>	630V
<b>Approvals</b>	UL, CE

**LG129D-5.0 Series**



<b>Center Spacing</b>	5.0mm(.197")
<b>Poles</b>	2-24
<b>Max Current</b>	24A
<b>Max Voltage</b>	320V
<b>Approvals</b>	UL, CE

**LG129D-5.08 Series**



<b>Center Spacing</b>	5.08mm(.20")
<b>Poles</b>	2-24
<b>Max Current</b>	24A
<b>Max Voltage</b>	320V
<b>Approvals</b>	UL, CE

**LG129D-7.5 Series**



<b>Center Spacing</b>	7.5mm(.295")
<b>Poles</b>	2-24
<b>Max Current</b>	24A
<b>Max Voltage</b>	400V
<b>Approvals</b>	UL, CE

**LG129D-7.62 Series**



<b>Center Spacing</b>	7.62mm(.30")
<b>Poles</b>	2-24
<b>Max Current</b>	24A
<b>Max Voltage</b>	400V
<b>Approvals</b>	UL, CE

**SOLDER TERMINAL BLOCKS**

LG129R-5.0 Series



<b>Center Spacing</b>	5.0mm(.197")
<b>Poles</b>	2-24
<b>Max Current</b>	24A
<b>Max Voltage</b>	320V
<b>Approvals</b>	UL, CE

LG129R-5.08 Series



<b>Center Spacing</b>	5.08mm(.20")
<b>Poles</b>	2-24
<b>Max Current</b>	24A
<b>Max Voltage</b>	320V
<b>Approvals</b>	UL, CE

LG129H-5.0 Series



<b>Center Spacing</b>	5.0mm(.197")
<b>Poles</b>	2-24
<b>Max Current</b>	22A
<b>Max Voltage</b>	320V
<b>Approvals</b>	UL, CE

LG129H-5.08 Series



<b>Center Spacing</b>	5.08mm(.20")
<b>Poles</b>	2-24
<b>Max Current</b>	22A
<b>Max Voltage</b>	320V
<b>Approvals</b>	UL, CE

LG135-10.16 Series



<b>Center Spacing</b>	10.16mm(.40")
<b>Poles</b>	2-24
<b>Max Current</b>	57A
<b>Max Voltage</b>	750V
<b>Approvals</b>	UL, CE

LG166-5.0 Series



<b>Center Spacing</b>	5.0mm(.197")
<b>Poles</b>	2-24
<b>Max Current</b>	22A
<b>Max Voltage</b>	250V
<b>Approvals</b>	UL, CE

LG167V-5.0 Series



<b>Center Spacing</b>	5.0mm(.197")
<b>Poles</b>	2-24
<b>Max Current</b>	22A
<b>Max Voltage</b>	450V
<b>Approvals</b>	UL, CE

LG167R-5.0 Series




<b>Center Spacing</b>	5.0mm(.197")
<b>Poles</b>	2-24
<b>Max Current</b>	22A
<b>Max Voltage</b>	450V
<b>Approvals</b>	UL, CE

LG254-2.54 Series



<b>Center Spacing</b>	2.54mm(.10")
<b>Poles</b>	2-24
<b>Max Current</b>	8A
<b>Max Voltage</b>	150V
<b>Approvals</b>	UL, CE

LG300V-5.0 Series



<b>Center Spacing</b>	5.0mm(.197")
<b>Poles</b>	2-24
<b>Max Current</b>	24A
<b>Max Voltage</b>	250V
<b>Approvals</b>	UL, CE

LG300R-5.0 Series



<b>Center Spacing</b>	5.0mm(.197")
<b>Poles</b>	2-24
<b>Max Current</b>	24A
<b>Max Voltage</b>	250V
<b>Approvals</b>	UL, CE


LG301V-5.0 Series



<b>Center Spacing</b>	5.0mm(.197")
<b>Poles</b>	2-24
<b>Max Current</b>	17.5A
<b>Max Voltage</b>	250V
<b>Approvals</b>	UL, CE

**SOLDER TERMINAL BLOCKS**

**LG330-5.0 Series**



<b>Center Spacing</b>	5.0mm(.197")
<b>Poles</b>	2-24
<b>Max Current</b>	24A
<b>Max Voltage</b>	250V
<b>Approvals</b>	UL, CE

**LG332-5.0 Series**



<b>Center Spacing</b>	5.0mm(.197")
<b>Poles</b>	2-24
<b>Max Current</b>	17.5A
<b>Max Voltage</b>	250V
<b>Approvals</b>	UL, CE

**LG332J-5.0 Series**



<b>Center Spacing</b>	5.0mm(.197")
<b>Poles</b>	2-24
<b>Max Current</b>	17.5A
<b>Max Voltage</b>	250V
<b>Approvals</b>	UL, CE

**LG350V-3.5 Series**



<b>Center Spacing</b>	3.5mm(.138")
<b>Poles</b>	2-24
<b>Max Current</b>	10A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

**LG350V-3.81 Series**



<b>Center Spacing</b>	3.81mm(.15")
<b>Poles</b>	2-24
<b>Max Current</b>	10A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

**LG350R-3.5 Series**



<b>Center Spacing</b>	3.5mm(.138")
<b>Poles</b>	2-24
<b>Max Current</b>	10A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

**LG350R-3.81 Series**



<b>Center Spacing</b>	3.81mm(.15")
<b>Poles</b>	2-24
<b>Max Current</b>	10A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

**LG350D-3.5 Series**



<b>Center Spacing</b>	3.5mm(.138")
<b>Poles</b>	2-24
<b>Max Current</b>	10A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

**LG350D-3.81 Series**



<b>Center Spacing</b>	3.81mm(.15")
<b>Poles</b>	2-24
<b>Max Current</b>	10A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

**LG381-3.5 Series**



<b>Center Spacing</b>	3.5mm(.138")
<b>Poles</b>	2-24
<b>Max Current</b>	10A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

**LG381-3.81 Series**



<b>Center Spacing</b>	3.81mm(.15")
<b>Poles</b>	2-24
<b>Max Current</b>	10A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

**LG381AZL-3.5 Series**



<b>Center Spacing</b>	3.5mm(.138")
<b>Poles</b>	2-24
<b>Max Current</b>	10A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

SOLDER TERMINAL BLOCKS

LG381AZL-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LG381AHZL-3.5 Series



Center Spacing	3.5mm(.138")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LG381AHZL-3.81 Series



Center Spacing	3.81mm(.15")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LG396V-3.96 Series



Center Spacing	3.96mm(.156")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LG396R-3.96 Series



Center Spacing	3.96mm(.156")
Poles	2-24
Max Current	10A
Max Voltage	300V
Approvals	UL, CE

LG636-6.35 Series



Center Spacing	6.35mm(.25")
Poles	2-24
Max Current	32A
Max Voltage	630V
Approvals	UL, CE

LG500-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LG500-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LG500AZL-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LG500AZL-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LG500AHZL-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

LG500AHZL-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	17.5A
Max Voltage	320V
Approvals	UL, CE

SOLDER TERMINAL BLOCKS

LG500R-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LG500R-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LG500H-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LG500H-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LG500HH-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LG500HH-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LG500BZL-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LG500BZL-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LG500BHL-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LG500BHL-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LG500AHZ-5.0 Series



Center Spacing	5.0mm(.197")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LG500AHZ-5.08 Series



Center Spacing	5.08mm(.20")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

SOLDER TERMINAL BLOCKS

LG635-6.35 Series



Center Spacing	6.35mm(.25")
Poles	2-12
Max Current	32A
Max Voltage	630V
Approvals	UL, CE

LG762-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-10
Max Current	32A
Max Voltage	630V
Approvals	UL, CE

LG950-9.5 Series



Center Spacing	9.5mm(.374")
Poles	2-7
Max Current	32A
Max Voltage	1000V
Approvals	UL, CE

LG635D-6.35 Series



Center Spacing	6.35mm(.259")
Poles	2-12
Max Current	32A
Max Voltage	630V
Approvals	UL, CE

LG762D-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-10
Max Current	32A
Max Voltage	630V
Approvals	UL, CE

LG950D-9.5 Series



Center Spacing	9.5mm(.374")
Poles	2-7
Max Current	32A
Max Voltage	1000V
Approvals	UL, CE

LG1000-10.0 Series



Center Spacing	10.0mm(.394")
Poles	2-24
Max Current	57A
Max Voltage	320V
Approvals	UL, CE

LG1016A-10.16 Series



Center Spacing	10.16mm(.40")
Poles	2-24
Max Current	57A
Max Voltage	1000V
Approvals	UL, CE

LG1016B-10.16 Series



Center Spacing	10.16mm(.40")
Poles	2-24
Max Current	57A
Max Voltage	1000V
Approvals	UL, CE

LG1270-12.7 Series



Center Spacing	12.7mm(.50")
Poles	2-24
Max Current	57A
Max Voltage	1000V
Approvals	UL, CE

LG1500-15.0 Series



Center Spacing	15.0mm(.591")
Poles	2-24
Max Current	125A
Max Voltage	1000V
Approvals	UL, CE

LG1500M-15.0 Series



Center Spacing	15.0mm(.591")
Poles	2-24
Max Current	125A
Max Voltage	1000V
Approvals	UL, CE




SCREWLESS TERMINAL BLOCKS

LS141V-2.54 Series



<b>Center Spacing</b>	2.54mm(.10")
<b>Poles</b>	2-24
<b>Max Current</b>	13.5A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

LS141R-2.54 Series



<b>Center Spacing</b>	2.54mm(.10")
<b>Poles</b>	2-24
<b>Max Current</b>	13.5A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

LS142V-5.08 Series



<b>Center Spacing</b>	5.08mm(.20")
<b>Poles</b>	2-24
<b>Max Current</b>	17.5A
<b>Max Voltage</b>	400V
<b>Approvals</b>	UL, CE

LS142V-7.62 Series



<b>Center Spacing</b>	7.62mm(.30")
<b>Poles</b>	2-24
<b>Max Current</b>	17.5A
<b>Max Voltage</b>	400V
<b>Approvals</b>	UL, CE

LS142R-5.08 Series



<b>Center Spacing</b>	5.08mm(.20")
<b>Poles</b>	2-24
<b>Max Current</b>	17.5A
<b>Max Voltage</b>	400V
<b>Approvals</b>	UL, CE

LS142R-7.62 Series




<b>Center Spacing</b>	7.62mm(.30")
<b>Poles</b>	2-24
<b>Max Current</b>	17.5A
<b>Max Voltage</b>	400V
<b>Approvals</b>	UL, CE

LS202-5.0 Series



<b>Center Spacing</b>	5.0mm(.197")
<b>Poles</b>	2-24
<b>Max Current</b>	17.5A
<b>Max Voltage</b>	400V
<b>Approvals</b>	UL, CE

LS202-7.5 Series



<b>Center Spacing</b>	7.5mm(.295")
<b>Poles</b>	2-24
<b>Max Current</b>	17.5A
<b>Max Voltage</b>	400V
<b>Approvals</b>	UL, CE

LS204-3.5 Series



<b>Center Spacing</b>	3.5mm(.138")
<b>Poles</b>	2-24
<b>Max Current</b>	24A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

LS204-5.08 Series



<b>Center Spacing</b>	5.08mm(.20")
<b>Poles</b>	2-24
<b>Max Current</b>	24A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

LS235-5.0 Series



<b>Center Spacing</b>	5.0mm(.197")
<b>Poles</b>	2-24
<b>Max Current</b>	10A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

LS235-7.5 Series



<b>Center Spacing</b>	7.5mm(.295")
<b>Poles</b>	2-24
<b>Max Current</b>	10A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

SCREWLESS TERMINAL BLOCKS

LS235-5.0 Series



<b>Center Spacing</b>	5.0mm(.197")
<b>Poles</b>	2-24
<b>Max Current</b>	10A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

LS235-7.5 Series



<b>Center Spacing</b>	7.5mm(.295")
<b>Poles</b>	2-24
<b>Max Current</b>	10A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

LS250-2.5 Series



<b>Center Spacing</b>	2.5mm(.098")
<b>Poles</b>	2-24
<b>Max Current</b>	6A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

LS250-2.54 Series



<b>Center Spacing</b>	2.54mm(.10")
<b>Poles</b>	2-24
<b>Max Current</b>	6A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

LS250-3.5 Series



<b>Center Spacing</b>	3.5mm(.138")
<b>Poles</b>	2-24
<b>Max Current</b>	7A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

LS250-7.0 Series



<b>Center Spacing</b>	7.0mm(.276")
<b>Poles</b>	2-24
<b>Max Current</b>	7A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

LS250H-5.0 Series



<b>Center Spacing</b>	5.0mm(.197")
<b>Poles</b>	2-24
<b>Max Current</b>	17.5A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

LS236-3.81 Series



<b>Center Spacing</b>	3.81mm(.15")
<b>Poles</b>	2-24
<b>Max Current</b>	17.5A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

LS236-5.0 Series



<b>Center Spacing</b>	5.0mm(.197")
<b>Poles</b>	2-24
<b>Max Current</b>	17.5A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

LS240-2.5 Series



<b>Center Spacing</b>	2.5mm(.098")
<b>Poles</b>	2-24
<b>Max Current</b>	6A
<b>Max Voltage</b>	150V
<b>Approvals</b>	UL, CE

LS240-2.54 Series



<b>Center Spacing</b>	2.54mm(.10")
<b>Poles</b>	2-24
<b>Max Current</b>	6A
<b>Max Voltage</b>	150V
<b>Approvals</b>	UL, CE

LS240W-2.5 Series



<b>Center Spacing</b>	2.5mm(.098")
<b>Poles</b>	2-24
<b>Max Current</b>	6A
<b>Max Voltage</b>	150V
<b>Approvals</b>	UL, CE

SCREWLESS TERMINAL BLOCKS

LS240W-2.54 Series



<b>Center Spacing</b>	2.54mm(.10")
<b>Poles</b>	2-24
<b>Max Current</b>	6A
<b>Max Voltage</b>	150V
<b>Approvals</b>	UL, CE

LS243-5.0 Series



<b>Center Spacing</b>	5.0mm(.197")
<b>Poles</b>	2-24
<b>Max Current</b>	24A
<b>Max Voltage</b>	450V
<b>Approvals</b>	UL, CE

LS243-7.5 Series



<b>Center Spacing</b>	7.5mm(.295")
<b>Poles</b>	2-24
<b>Max Current</b>	24A
<b>Max Voltage</b>	450V
<b>Approvals</b>	UL, CE

LS245-5.0 Series



<b>Center Spacing</b>	5.0mm(.197")
<b>Poles</b>	2-24
<b>Max Current</b>	24A
<b>Max Voltage</b>	450V
<b>Approvals</b>	UL, CE

LS245-7.5 Series



<b>Center Spacing</b>	7.5mm(.295")
<b>Poles</b>	2-24
<b>Max Current</b>	24A
<b>Max Voltage</b>	450V
<b>Approvals</b>	UL, CE

LS245T-5.0 Series



<b>Center Spacing</b>	5.0mm(.197")
<b>Poles</b>	2-24
<b>Max Current</b>	24A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

LS245T-7.5 Series



<b>Center Spacing</b>	7.5mm(.295")
<b>Poles</b>	2-24
<b>Max Current</b>	24A
<b>Max Voltage</b>	450V
<b>Approvals</b>	UL, CE

LS245TT-5.0 Series



<b>Center Spacing</b>	5.0mm(.197")
<b>Poles</b>	2-24
<b>Max Current</b>	24A
<b>Max Voltage</b>	450V
<b>Approvals</b>	UL, CE

LS245TT-7.5 Series



<b>Center Spacing</b>	7.5mm(.295")
<b>Poles</b>	2-24
<b>Max Current</b>	24A
<b>Max Voltage</b>	450V
<b>Approvals</b>	UL, CE

LSC1-5.0 Series



<b>Center Spacing</b>	5.0mm(.197")
<b>Poles</b>	2-24
<b>Max Current</b>	20A
<b>Max Voltage</b>	400V
<b>Approvals</b>	UL, CE

LSC1-7.5 Series



<b>Center Spacing</b>	7.5mm(.295")
<b>Poles</b>	2-24
<b>Max Current</b>	20A
<b>Max Voltage</b>	400V
<b>Approvals</b>	UL, CE

LSC1J-5.0 Series



<b>Center Spacing</b>	5.0mm(.197")
<b>Poles</b>	2-24
<b>Max Current</b>	20A
<b>Max Voltage</b>	400V
<b>Approvals</b>	UL, CE

SCREWLESS TERMINAL BLOCKS

LSC1J-7.5 Series



<b>Center Spacing</b>	7.5mm(.295")
<b>Poles</b>	2-24
<b>Max Current</b>	20A
<b>Max Voltage</b>	400V
<b>Approvals</b>	UL, CE

LSC1M-5.0 Series



<b>Center Spacing</b>	5.0mm(.197")
<b>Poles</b>	2-24
<b>Max Current</b>	20A
<b>Max Voltage</b>	400V
<b>Approvals</b>	UL, CE

LSC1M-7.5 Series



<b>Center Spacing</b>	7.5mm(.295")
<b>Poles</b>	2-24
<b>Max Current</b>	20A
<b>Max Voltage</b>	400V
<b>Approvals</b>	UL, CE

BARRIER TERMINAL BLOCKS

LW1MC-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW1C-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW1MB-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW1B-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW1MQ-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW1Q-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW1MR-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW1R-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW1MC-8.25 Series



Center Spacing	8.25mm(.325")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW1C-8.25 Series



Center Spacing	8.25mm(.325")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW1MB-8.25 Series



Center Spacing	8.25mm(.325")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW1B-8.25 Series



Center Spacing	8.25mm(.325")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

BARRIER TERMINAL BLOCKS

LW1MQ-8.25 Series



Center Spacing	8.25mm(.325")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW1Q-8.25 Series



Center Spacing	8.25mm(.325")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW1MR-8.25 Series



Center Spacing	8.25mm(.325")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW1R-8.25 Series



Center Spacing	8.25mm(.325")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW1MC-9.52 Series



Center Spacing	9.52mm(.375")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW1C-9.52 Series



Center Spacing	9.52mm(.375")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW1MB-9.52 Series



Center Spacing	9.52mm(.375")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW1B-9.52 Series



Center Spacing	9.52mm(.375")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW1MQ-9.52 Series



Center Spacing	9.52mm(.375")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW1Q-9.52 Series



Center Spacing	9.52mm(.375")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW1MR-9.52 Series



Center Spacing	9.52mm(.375")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW1R-9.52 Series



Center Spacing	9.52mm(.375")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE



BARRIER TERMINAL BLOCKS

LW1MC-10.0 Series



Center Spacing	10.0mm(.394")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW1C-10.0 Series



Center Spacing	10.0mm(.394")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW1MB-10.0 Series



Center Spacing	10.0mm(.394")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW1B-10.0 Series



Center Spacing	10.0mm(.394")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW1MQ-10.0 Series



Center Spacing	10.0mm(.394")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW1Q-10.0 Series



Center Spacing	10.0mm(.394")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW1MR-10.0 Series



Center Spacing	10.0mm(.394")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW1R-10.0 Series



Center Spacing	10.0mm(.394")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW1MC-11.0 Series



Center Spacing	11.0mm(.433")
Poles	2-16
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW1C-11.0 Series



Center Spacing	11.0mm(.433")
Poles	2-16
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW1MB-11.0 Series



Center Spacing	11.0mm(.433")
Poles	2-16
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW1B-11.0 Series



Center Spacing	11.0mm(.433")
Poles	2-16
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

BARRIER TERMINAL BLOCKS

LW1MQ-11.0 Series



Center Spacing	11.0mm(.433")
Poles	2-16
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW1Q-11.0 Series



Center Spacing	11.0mm(.433")
Poles	2-16
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW1MR-11.0 Series



Center Spacing	11.0mm(.433")
Poles	2-16
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW1R-11.0 Series



Center Spacing	11.0mm(.433")
Poles	2-16
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW2MC-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW2C-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW2MB-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW2B-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW2MQ-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW2Q-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW2MR-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW2R-7.62 Series



Center Spacing	7.62mm(.30")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

BARRIER TERMINAL BLOCKS

LW2MC-8.25 Series



Center Spacing	8.25mm(.325")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW2C-8.25 Series



Center Spacing	8.25mm(.325")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW2MB-8.25 Series



Center Spacing	8.25mm(.325")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW2B-8.25 Series



Center Spacing	8.25mm(.325")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW2MQ-8.25 Series



Center Spacing	8.25mm(.325")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW2Q-8.25 Series



Center Spacing	8.25mm(.325")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW2MR-8.25 Series



Center Spacing	8.25mm(.325")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW2R-8.25 Series



Center Spacing	8.25mm(.325")
Poles	2-24
Max Current	15A
Max Voltage	300V
Approvals	UL, CE

LW2MC-9.5 Series



Center Spacing	9.5mm(.374")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW2C-9.5 Series



Center Spacing	9.5mm(.374")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW2MB-9.5 Series



Center Spacing	9.5mm(.374")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW2B-9.5 Series



Center Spacing	9.5mm(.374")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

BARRIER TERMINAL BLOCKS

LW2MQ-9.5 Series



<b>Center Spacing</b>	9.5mm(.374")
<b>Poles</b>	2-24
<b>Max Current</b>	20A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

LW2Q-9.5 Series



<b>Center Spacing</b>	9.5mm(.374")
<b>Poles</b>	2-24
<b>Max Current</b>	20A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

LW2MR-9.5 Series



<b>Center Spacing</b>	9.5mm(.374")
<b>Poles</b>	2-24
<b>Max Current</b>	20A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

LW2R-9.5 Series



<b>Center Spacing</b>	9.5mm(.374")
<b>Poles</b>	2-24
<b>Max Current</b>	20A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

LW2MC-10.0 Series



<b>Center Spacing</b>	10.0mm(.394")
<b>Poles</b>	2-24
<b>Max Current</b>	20A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

LW2C-10.0 Series



<b>Center Spacing</b>	10.0mm(.394")
<b>Poles</b>	2-24
<b>Max Current</b>	20A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

LW2MB-10.0 Series



<b>Center Spacing</b>	10.0mm(.394")
<b>Poles</b>	2-24
<b>Max Current</b>	20A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

LW2B-10.0 Series



<b>Center Spacing</b>	10.0mm(.394")
<b>Poles</b>	2-24
<b>Max Current</b>	20A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

LW2MQ-10.0 Series



<b>Center Spacing</b>	10.0mm(.394")
<b>Poles</b>	2-24
<b>Max Current</b>	20A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

LW2Q-10.0 Series



<b>Center Spacing</b>	10.0mm(.394")
<b>Poles</b>	2-24
<b>Max Current</b>	20A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

LW2MR-10.0 Series



<b>Center Spacing</b>	10.0mm(.394")
<b>Poles</b>	2-24
<b>Max Current</b>	20A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

LW2R-10.0 Series



<b>Center Spacing</b>	10.0mm(.394")
<b>Poles</b>	2-24
<b>Max Current</b>	20A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE



**BARRIER TERMINAL BLOCKS**

**LW2MC-11.0 Series**



<b>Center Spacing</b>	11.0mm(.433")
<b>Poles</b>	2-16
<b>Max Current</b>	20A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

**LW2C-11.0 Series**



<b>Center Spacing</b>	11.0mm(.433")
<b>Poles</b>	2-16
<b>Max Current</b>	20A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

**LW2MB-11.0 Series**



<b>Center Spacing</b>	11.0mm(.433")
<b>Poles</b>	2-16
<b>Max Current</b>	20A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

**LW2B-11.0 Series**



<b>Center Spacing</b>	11.0mm(.433")
<b>Poles</b>	2-16
<b>Max Current</b>	20A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

**LW2MQ-11.0 Series**



<b>Center Spacing</b>	11.0mm(.433")
<b>Poles</b>	2-16
<b>Max Current</b>	20A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

**LW2Q-11.0 Series**



<b>Center Spacing</b>	11.0mm(.433")
<b>Poles</b>	2-16
<b>Max Current</b>	20A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

**LW2MR-11.0 Series**



<b>Center Spacing</b>	11.0mm(.433")
<b>Poles</b>	2-16
<b>Max Current</b>	20A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

**LW2R-11.0 Series**



<b>Center Spacing</b>	11.0mm(.433")
<b>Poles</b>	2-16
<b>Max Current</b>	20A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

**LW2MC13.0 Series**



<b>Center Spacing</b>	13.0mm(.512")
<b>Poles</b>	2-16
<b>Max Current</b>	40A
<b>Max Voltage</b>	600V
<b>Approvals</b>	UL, CE

**LW2C-13.0 Series**



<b>Center Spacing</b>	13.0mm(.512")
<b>Poles</b>	2-16
<b>Max Current</b>	40A
<b>Max Voltage</b>	600V
<b>Approvals</b>	UL, CE

**LW2MB-13.0 Series**



<b>Center Spacing</b>	13.0mm(.512")
<b>Poles</b>	2-16
<b>Max Current</b>	40A
<b>Max Voltage</b>	600V
<b>Approvals</b>	UL, CE

**LW2B-13.0 Series**



<b>Center Spacing</b>	13.0mm(.512")
<b>Poles</b>	2-16
<b>Max Current</b>	40A
<b>Max Voltage</b>	600V
<b>Approvals</b>	UL, CE

BARRIER TERMINAL BLOCKS

LW2MQ-13.0 Series



<b>Center Spacing</b>	13.0mm(.512")
<b>Poles</b>	2-16
<b>Max Current</b>	40A
<b>Max Voltage</b>	600V
<b>Approvals</b>	UL, CE

LW2Q-13.0 Series



<b>Center Spacing</b>	13.0mm(.512")
<b>Poles</b>	2-16
<b>Max Current</b>	40A
<b>Max Voltage</b>	600V
<b>Approvals</b>	UL, CE

LW2MR-13.0 Series



<b>Center Spacing</b>	13.0mm(.512")
<b>Poles</b>	2-16
<b>Max Current</b>	40A
<b>Max Voltage</b>	600V
<b>Approvals</b>	UL, CE

LW2R-13.0 Series



<b>Center Spacing</b>	13.0mm(.512")
<b>Poles</b>	2-16
<b>Max Current</b>	40A
<b>Max Voltage</b>	600V
<b>Approvals</b>	UL, CE

LW3MB-6.35 Series



<b>Center Spacing</b>	6.35mm(.25")
<b>Poles</b>	2-24
<b>Max Current</b>	10A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

LW3MB-7.62 Series



<b>Center Spacing</b>	7.62mm(.30")
<b>Poles</b>	2-24
<b>Max Current</b>	10A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

LW3B-6.35 Series



<b>Center Spacing</b>	6.35mm(.25")
<b>Poles</b>	2-24
<b>Max Current</b>	10A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

LW3B-7.62 Series




<b>Center Spacing</b>	7.62mm(.30")
<b>Poles</b>	2-24
<b>Max Current</b>	10A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

LW3MR-6.35 Series



<b>Center Spacing</b>	6.35mm(.25")
<b>Poles</b>	2-24
<b>Max Current</b>	10A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

LW3MR-7.62 Series



<b>Center Spacing</b>	7.62mm(.30")
<b>Poles</b>	2-24
<b>Max Current</b>	10A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

LW3R-6.35 Series



<b>Center Spacing</b>	6.35mm(.25")
<b>Poles</b>	2-24
<b>Max Current</b>	10A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

LW3R-7.62 Series



<b>Center Spacing</b>	7.62mm(.30")
<b>Poles</b>	2-24
<b>Max Current</b>	10A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE



BARRIER TERMINAL BLOCKS

LW3MB-8.25 Series



Center Spacing	8.25mm(.325")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW3B-8.25 Series



Center Spacing	8.25mm(.325")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW3MR-8.25 Series



Center Spacing	8.25mm(.325")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW3R-8.25 Series



Center Spacing	8.25mm(.325")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW3MB-9.52 Series



Center Spacing	9.52mm(.375")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW3B-9.52 Series



Center Spacing	9.52mm(.375")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW3MR-9.52 Series



Center Spacing	9.52mm(.375")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW3R-9.52 Series



Center Spacing	9.52mm(.375")
Poles	2-24
Max Current	20A
Max Voltage	300V
Approvals	UL, CE

LW3MB-11.11 Series



Center Spacing	11.11mm(.437")
Poles	2-16
Max Current	30A
Max Voltage	300V
Approvals	UL, CE

LW3B-11.11 Series



Center Spacing	11.11mm(.437")
Poles	2-16
Max Current	30A
Max Voltage	300V
Approvals	UL, CE

LW3MR-11.11 Series



Center Spacing	11.11mm(.437")
Poles	2-16
Max Current	30A
Max Voltage	300V
Approvals	UL, CE

LW3R-11.11 Series



Center Spacing	11.11mm(.437")
Poles	2-16
Max Current	30A
Max Voltage	300V
Approvals	UL, CE

**BARRIER TERMINAL BLOCKS**

**LW6-7.62 Series**



<b>Center Spacing</b>	7.62mm(.30")
<b>Poles</b>	2-24
<b>Max Current</b>	15A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

**LW6MQ-7.62 Series**



<b>Center Spacing</b>	7.62mm(.30")
<b>Poles</b>	2-24
<b>Max Current</b>	15A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

**LW6-9.52 Series**



<b>Center Spacing</b>	9.52mm(.375")
<b>Poles</b>	2-24
<b>Max Current</b>	15A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

**LW7-7.62 Series**



<b>Center Spacing</b>	7.62mm(.30")
<b>Poles</b>	2-24
<b>Max Current</b>	15A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE

**LW7-9.52 Series**



<b>Center Spacing</b>	9.52mm(.375")
<b>Poles</b>	2-24
<b>Max Current</b>	15A
<b>Max Voltage</b>	300V
<b>Approvals</b>	UL, CE