

Noritake

One cement. All cement indications One prime procedure.

SIMPLY CREATE THE PANAVIA™ SMILE

One cement. All cement indications. One prime procedure.

Just imagine cementing all of your prosthetics with one predictable procedure. Without stress when you need to cement precious veneers. And without studying complicated cementation guides. With our revolutionary PANAVIATM V5 that is now possible. So from now on you enjoy all your cementation appointments.

Prime and roughen the prosthetic (1). Prime the tooth (2). Apply your cement (3). That's it. There is no better way to durably cement your crown, single-wing cantilever bridge, core build-up and veneer. And if you work in a lab? Then you can be sure it's the most reliable way to cement your implant abutments too.

All cement indications. One prime procedure. Are we serious? Yes! PANAVIA™ V5 is our strongest cement ever developed. And with five shades, our most esthetic one too. This makes a totally new kind of dentistry possible, where you can be confident during cementation. And your patients? They will surely be impressed by beautiful result of your prosthetic treatment.






34 YEARS OF EXPERIENCE WITH THE ORIGINAL MDP Patented since 1981.

Kuraray Noritake Dental invented the original MDP monomer in 1981 to improve the bond strength to hydroxyapatite (HAp). The world's first composite cement PANAVIATM EX including the original MDP was launched two years later. That is when the legendary story of the PANAVIATM brand began. And since then PANAVIATM has become a synonym for reliable adhesion.

Besides bonding to hydroxyapatite, the original MDP strongly bonds to metals and zirconia, too. Some manufacturers have recently also started working with MDP in a number of adhesive products. But it is one of the most difficult ingredients to produce. Especially when it comes to creating an MDP mixture with an outstanding quality level (see graph below). This requires decades of know-how, which is why not all "MDP" mixtures result in long lasting restorations.

Our original MDP still proves to be the most durable HAp connector¹. And that is one of the secrets of PANAVIATM V5's primer performance.

Micro-tensile bond strength to dentin.1



'The "experimental self-etch primers" were prepared consisting of 15 % wt 10-MDP functional monomer. Provided by three different sources: KN (Kuraray Noritake Dental), PCM or DMI. The monomers were freshly received ("Fresh") or after they were frozen (-18 °C) for 1 year ("1 year"). Source: K. Yoshihara et al., B. Van Meerbeek, J Dent Res 93 (Spec Iss C): 29, 2014 *10-MDP KN is Kuraray Noritake Dental's Original MDP.


GREAT HANDLING. PREDICTABLE PROCEDURE.


Easy application. Easy seating. Easy clean-up.

Great handling is key to make your cement procedure predictable. Applying, seating and cleaning up the excess cement are just a few examples of where PANAVIA™ V5 makes your work easier.

Roughen and prime the prosthetic (1). Prime the tooth (2). Simply apply the pre-mixed PANAVIATM V5 paste to your prosthetic (3). That's it. Thanks to the automix syringe your procedure will be fast, simple and precise. With the optimized cement consistency you can position your prosthetic exactly where you want. The excess cement is cleaned-up within seconds. As a final step you directly light-cure the PANAVIATM V5 paste to create a durable seal.

There is more to say about PANAVIA™ V5's predictable procedure and great handling. The best way to find out? Try it out yourself.





THE SECRET BEHIND THE PERFORMANCE OF PANAVIA™ V5

Original MDP. Curing technologies. Amine-free¹.

PANAVIATM V5 is our first composite cement with only one tooth primer. With this exclusive combination you achieve bond strength results similar to gold standard adhesive CLEARFILTM SE BOND (graph 2, page 9). At the same time it also proves to be a beautiful cement (graph 1, page 8). Let's look at the secret behind the durability and beauty of PANAVIATM V5.

The moment our cement touches the PANAVIA™ V5 Tooth Primer the curing process is accelerated. We call it touch-cure. This invention leads to an extremely high polymerization degree. The original MDP in the PANAVIA™ V5 Tooth Primer and CLEARFIL™ CERAMIC PRIMER PLUS assures a durable bond. On the tooth and your prosthetic. Building stronger tooth-prosthetic integration you can imagine. Or implant-prosthetic integration if you like.

But cement durability is only half the story. For esthetic cementations the shade needs to remain stable. Unfortunately, conventional composite cements show discoloration over time. In order to keep the PANAVIATM V5 cement shade stable we don't use amine in the self-cure mode anymore. Thanks to the amine-free paste your most natural restorations stay beautiful.

THE BEST CEMENTING STRATEGIES

The best pretreatments for virtually all cement indications.

Are you tired of looking into annoying instructions for use? Or do you spend too much time to find the right flow chart before cementing zirconia? To follow the best cementing strategies you need the best knowledge available. To keep it simple for you we summarized all you need in one infographic (see on the right side).

Prime the tooth. Roughen and prime the prosthetic. Apply your cement. That's it. Roughen the prosthetic? Yes. To get the most durable prosthetic cementation you definitely need to roughen the surface first. So in case of zirconia you sandblast it with 30 / 50 micrometer alumiumoxide particles with a low pressure. And just before final seating you prime and dry it with CLEARFIL™ CERAMIC PRIMER PLUS.

What about the tooth tissue pretreatment? Priming with the PANAVIATM V5 Tooth Primer is the best thing you can do. And what about the pretreatment of all other indications? Just use the infographic to easily select the best pretreatment for all your indications. So you can focus directly on what you love to do. Cementing your prosthetics with peace of mind.

Metals (posts) Implant abutments Zirconia 1. BEST PRETREATMENT¹ Sandblast, rinse & dry Apply hydrofluoric acid, rinse & dry² Apply K-ETCHANT Syringe, rinse & dry Sandblast, apply K-ETCHANT Syringe, rinse & dry

¹For a detail procedure please check the instructions for use.

¹ For a detail procedure please check the instructions for use.

²lf you are a dentist and your lab already applied hydrofluoric acid, just use phosphoric acid to clean and activate the ceramic surface.

Glass ceramics

Glass fiber posts

Composites







Tooth tissue, Intra-oral composites & metals

Uncut enamel, adhesion bridges & veneers












2. ONE PRIME PROCEDURE¹








SCIENCE


- »PANAVIA™ V5 produced significantly greater shear bond strength compared to Multilink Automix¹, RelyX Ultimate¹ and NX3¹ in the self cure mode both at room temperature and at elevated temperature (37°C).«
- > Bond of Resin Cements to Tooth Substrates in Self-cure Mode, R. Radhakrishnan, J.O. Burgess, et al., IADR Meeting, 2015, Boston, Abstract #102
- »The amine-free resin cement² showed less color variation with time than two amine-based cements. «
- Color Stability of Amine-free Dental Cement, N. Xiang, J.O. Burgess, et al., IADR Meeting, 2015, Boston, Abstract #2339
- »It was indicated that experimental resin cement (HPC-100³) would be clinically effective because it showed high bonding performance with simple cementing method.«
- → Bonding Performance of Experimental Resin Cement (HPC-100³), R. Ishii, M. Miyazaki, et al., Nihon University, The 140th Meeting of the Japanese Society of Conservative Dentistry, 2014, Shiga, Abstract #P22

The independent and inhouse data shown here is a selection of available data. Please contact us for more scientific data. You are a researcher? After years of R&D we need your help to discover the full potential of PANAVIATM V5. Contact us. We are happy to provide you with PANAVIATM V5 for your research.

GRAPH 1: SHADE STABILITY⁴



PANAVIA™ V5 HYBRID LAYER⁵




⁴Source: Kuraray Noritake Dental Inc. Sample's were aged in 70 degree celsius in water.
5SEM image: Courtesy of N. Nagaoka and K. Yoshihara, Okayama Univ. Japan

¹ Not trademark of Kuraray Co., Ltd. ²Amine free resin cement is the description for PANAVIA™ V5. ³HPC-100 is the code name of PANAVIA™ V5.

GRAPH 2: TENSILE BOND STRENGTH TO BOVINE DENTIN¹





TECH SPECS

WIDE INDICATION RANGE:

- Cementation of crowns, bridges, inlays and onlays
- Cementation of veneers
- Cementation of adhesion bridges and splints
- Cementation of prosthetic restorations on implant abutments and frames
- Cementation of posts and cores
- Amalgam bonding

Filler loading: 61 wt % (38 vol %)

Flexural strength 3,4 : 127 MPa Flexural modulus 3,4 : 6.3 GPa Compressive strength 3 : 310 MPa Water sorption 3,4 : 21 μ g /mm 3

Film thickness $^{3.4}$: 12 μm Radiopacity 4 : 180 % Al Fluoride releasing (28 days) 3 : 58 $\mu g/g$ Working time (23 $^{\circ}$ C): 2 min.

ORDER INFO

PROFESSIONAL KIT - # 3600 EU

PANAVIA™ V5 Tooth Primer (2 ml)

CLEARFIL™ CERAMIC PRIMER PLUS (2 ml)

PANAVIA[™] V5 Paste [one syringe per shade (2.4 ml / 4.2 g): Universal (A2), Clear, Brown (A4), White, Opaque] PANAVIA[™] V5 Try-in Paste [one syringe per shade (1.8 ml): Universal (A2), Clear, Brown (A4), White, Opaque] K-ETCHANT Syringe (3 ml), 30 Mixing tips, 10 Endo tips (S)¹, 50 Applicator brushes (fine<silver>)¹, 1 Mixing dish (FPN)¹, 20 Needle tips (E)¹

2 STANDARD KIT - Universal (A2) # 3601 EU - Clear # 3602 EU

PANAVIA™ V5 Tooth Primer (2 ml)

CLEARFIL™ CERAMIC PRIMER PLUS (2 ml)

PANAVIATM V5 Paste [one syringe per shade (4.6 ml / 8.1 g): Universal (A2), Clear]

K-ETCHANT Syringe (3 ml), 15 Mixing tips, 5 Endo tips (S)¹, 50 Applicator brushes (fine<silver>)¹,

1 Mixing dish (FPN)¹, 20 Needle tips (E)¹

INTRODUCTORY KIT - Universal (A2) # 3604 EU - Clear # 3605 EU

PANAVIA™ V5 Tooth Primer (2 ml)

CLEARFIL™ CERAMIC PRIMER PLUS (2 ml)

PANAVIA™ V5 Paste [one syringe per shade (2.4 ml / 4.2 g): Universal (A2), Clear], 10 Mixing tips,

50 Applicator brushes (fine<silver>)1, 1 Mixing dish (FPN)1

FIVE BEAUTIFUL SHADES²







REFILL

- **1 PANAVIA™ V5 Tooth Primer** (4 ml), **#3635-EU**
- **② CLEARFIL™ CERAMIC PRIMER PLUS** (4 ml), **#3637-EU**
- PANAVIA™ V5 Paste (4.6 ml / 8.1 g), 20 Mixing tips Universal (A2) #3611-EU, Clear #3612-EU, Brown (A4) #3613-EU, White #3614-EU, Opaque #3615-EU

Universal (A2)

- PANAVIA™ V5 Try-in Paste (1.8 ml), Universal (A2) #3621-EU, Clear #3622-EU, Brown (A4) #3623-EU, White #3624-EU, Opaque #3625-EU
- **SECTION STANT Syringe** (3 ml), 20 Needle tips (E), **#3252-EU**

K-ETCHANT Syringe

Mixing tip (20 Mixing tip), #3626-EU
Endo tip (S) (20 Endo tip (S)), #3629-EU

PANAVIA 5 Try-in Paste



YOUR CONTACT

Kuraray Europe GmbH BU Medical Products Philipp-Reis-Strasse 4 65795 Hattersheim am Main Germany

 Phone DACH
 +49 (0) 69-305 35 835

 Phone Rest of Europe
 +49 (0) 69-305 85 980

 Fax
 +49 (0) 69-305 98 35 835

 E-Mail
 dental.eu@kuraray.com

 Website
 www.kuraraynoritake.eu



"PANAVIA" is a trademark of Kuraray Co., Ltd.