Portable Computerized Pneumatic Nut-Runner

Power Torque Setter - 5000ES



The advanced machine with CPU. **Auto Shut Off** Battery operated CPU.

Accurate (within 5%)

KUKEN original torque sensor makes it possible to achieve accurate results.

Low Noise & Low Vibration

Succeeded to reduce noise & vibration with its static fastening and noise reduction system.

Easy to change torque

Enables to input different torque settings and to be changed quickly.

Reverse Function

Able to fasten left handed screws and also to loosen.

Data Transmission

Enables to store results to a computer.

SPECIFICATIONS

(Performance figures are at 0.62 MPa(Pe) / 90 P.S.I. air pressure.)

Model	Torque Range (Nm)	Step (Nm)	Pre Sets	Battery	Free Speed rpm	Air Consumption m ³ (normal)/min	Level	Vibration Level m/s ²	Drive Size	Length (mm)	Weight (kg)
PTS-5000ES	2000 - 5000	10	4	6	60	0.57	80	< 2.5	38.0 SQ.	538	21.3

Length and weight measurements are without sockets and reaction force absorbers.



KUKEN CO., LTD.

3-6-15 Nonoue, Habikino-shi, Osaka 583-0871, Japan

Tel: +81-72-953-3346 Fax: +81-72-953-0605

Web: www.kuken.co.jp/english E-mail: export1@kuken.co.jp



